

# ACHANCHA II

American College Health Association **National College Health Assessment**

## Spring 2012 Reference Group Data Report

**Health, Health Education and Safety**

1. How would you describe your general health?  
 Excellent  Very good  Good  Fair  Poor  Don't know

2. Have you received information on the following topics from your college or university?

	No	Yes
Alcohol and other drug use	<input type="radio"/>	<input type="radio"/>
Cold/Flu/Sore throat	<input type="radio"/>	<input type="radio"/>
Depression/Anxiety	<input type="radio"/>	<input type="radio"/>
Eating disorders	<input type="radio"/>	<input type="radio"/>
Grief and loss	<input type="radio"/>	<input type="radio"/>
How to help others in distress	<input type="radio"/>	<input type="radio"/>
Injury prevention	<input type="radio"/>	<input type="radio"/>
Nutrition	<input type="radio"/>	<input type="radio"/>
Physical activity	<input type="radio"/>	<input type="radio"/>
Pregnancy prevention	<input type="radio"/>	<input type="radio"/>
Problems use of Internet/computer games	<input type="radio"/>	<input type="radio"/>
Relationship difficulties	<input type="radio"/>	<input type="radio"/>
Sexual assault/relationship violence prevention	<input type="radio"/>	<input type="radio"/>
Sexually transmitted disease/infection (STDI) prevention	<input type="radio"/>	<input type="radio"/>
Sleep difficulties	<input type="radio"/>	<input type="radio"/>
Stress reduction	<input type="radio"/>	<input type="radio"/>
Suicide prevention	<input type="radio"/>	<input type="radio"/>
Tobacco use	<input type="radio"/>	<input type="radio"/>
Violence prevention	<input type="radio"/>	<input type="radio"/>

3. Are you interested in receiving information on the following topics from your college or university?

4. Within the last 12 months, how often did you:  
 (Please mark the appropriate column for each row)

	Never	Once	2-3 times	4-5 times	6-7 times	8-9 times	10-11 times	12 times
Wear a seatbelt when you rode in a car?	<input type="radio"/>							
Wear a helmet when you rode a bicycle?	<input type="radio"/>							
Wear a helmet when you rode a motorcycle?	<input type="radio"/>							
Wear a helmet when you were inline skating?	<input type="radio"/>							

5. Within the last 12 months:  
 (Please mark the appropriate column for each row)

	Never	Once	2-3 times	4-5 times	6-7 times	8-9 times	10-11 times	12 times
Wore sun in a physical fight?	<input type="radio"/>							
Wore sun in a physical fight (do not include sexual assault)?	<input type="radio"/>							
Wore sun in a physical fight (do not include sexual assault) (do not include your consent)?	<input type="radio"/>							
Wore sun in a physical fight (do not include sexual assault) (do not include your consent) (do not include your consent)?	<input type="radio"/>							

National College Health Assessment - Mozilla Firefox

https://weburveyor.net

**ACHANCHA II**  
 American College Health Association **National College Health Assessment**

**National College Health Assessment**

The following questions ask about various aspects of your health. This survey is completely voluntary. You may choose not to participate or not to answer any specific questions. You may skip any question you are not comfortable answering. The survey is confidential. E-mail contact information is destroyed before data are compiled to protect confidentiality. Composite data will then be shared with your campus for use in health promotion activities.

**NAVIGATE WITH THE MOUSE OR PRESS THE TAB KEY AFTER EACH ENTRY  
 DO NOT USE THE ENTER KEY**

**Health, Health Education, and Safety**

1) How would you describe your general health?

Excellent  Very good  Good  Fair  Poor  Don't know

2A) Have you received information on the following topics from your college or university? (Please mark the appropriate column for each row)

	No	Yes
Alcohol and other drug use	<input type="radio"/>	<input type="radio"/>
Cold/Flu/Sore throat	<input type="radio"/>	<input type="radio"/>
Depression/Anxiety	<input type="radio"/>	<input type="radio"/>
Eating disorders	<input type="radio"/>	<input type="radio"/>



American College Health Association



# Reference Group Data Report

---

## Spring 2012

The ACHA-NCHA II supports the health of the campus community by fulfilling the academic mission, supporting short- and long-term healthy behaviors, and gaining a current profile of health trends within the campus community.

Suggested citation for this document: American College Health Association. American College Health Association-National College Health Assessment II: Reference Group Data Report Spring 2012. Hanover, MD: American College Health Association; 2012.

## Demographics of Participating Institutions

One hundred fifty seven postsecondary institutions self-selected to participate in the Spring 2012 ACHA National College Health Assessment and 98,050 surveys were completed by students on these campuses. For the purpose of forming the Reference Group, only institutions located in the United States that surveyed all students or used a random sampling technique are included in the analysis, yielding a final data set consisting of 90,666 students and 141 schools. Demographic characteristics of the 141 campuses follow:

<b>Demographical Characteristics of the 141 US Postsecondary Institutions Included in the Spring 2012 ACHA-NCHA II Reference Group.</b>	
<b>Campus Characteristic</b>	<b><i>n</i></b>
Type of Institution	
Public	82
Private	59
2-year	8
4-year or above	133
Location of Campus	
Northeast (CT, ME, MA, NH, NJ, NY, PA, RI, VT)	24
Midwest (IL, IN, IA, KS, MI, MN, MO, NE, ND, OH, SD, WI)	30
South (AL, AR, DE, DC, FL, GA, KY, LA, MD, MS, NC, OK, SC, TN, TX, VA, WV)	51
West (AK, AZ, CA, CO, HI, ID, MT, NV, NM, OR, UT, WA, WY)	36
Campus Size	
< 2,500 students	36
2,500 – 4,999 students	20
5,000 – 9,999 students	17
10,000 – 19,999 students	32
20,000 students or more	36
Campus Setting	
Very large city (population over 500,000)	30
Large city (population 250,000-499,999)	7
Small city (population 50,000-249,999)	46
Large town (population 10,000 – 49,999)	37
Small town (population 2,500-9,999)	14
Rural community (population under 2,500)	7
Carnegie Classification	
Associates Colleges	8
Baccalaureate Colleges	34
Masters Colleges and Universities	46
Research Institutions	52
Special Focus Institutions	1
Miscellaneous/Not Classified	0

<b>Demographical Characteristics of the 141 US Postsecondary Institutions Included in the Spring 2012 ACHA-NCHA II Reference Group.</b>	
<b>Campus Characteristic</b>	<b><i>n</i></b>
ACHA Membership Status	
Institutional Member	124
Nonmember	17
Religious Affiliation	
No	117
Yes	24
<u>If yes:</u>	
Catholic	9
Protestant or Other Christian	15
Postsecondary Minority Institution (US Department of Education)	
No	133
Yes	8
<u>*If yes:</u>	
Postsecondary Minority Institution	1
Historically Black College or University (HBCU)	2
High Hispanic Enrollment	4
Hispanic Serving Institution (HSI)	3
Indian Tribally Controlled College or University	0
Alaska Native-Serving Institution	0
Native Hawaiian-Serving Institution	1
*institutions may hold more than one type of minority status	

	<b>All Spring 2012 Institutions</b>	<b>Paper Survey Administration</b>	<b>Web Survey Administration</b>
Number of institutions	141	16	125
Number of students	99,066	10,013	80,653
Mean response proportion	27%	84%	20%
Median response proportion	19%	85%	18%



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

1. How would you describe your general health?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2A1. Have you received information on the following topics from your college or university?

Alcohol and other drug use

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2A2. Have you received information on the following topics from your college or university?

Cold/Flu/Sore Throat

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2A3. Have you received information on the following topics from your college or university?

Depression/Anxiety

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2A4. Have you received information on the following topics from your college or university?

Eating disorders

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2A5. Have you received information on the following topics from your college or university?

Grief and loss

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

2A6. Have you received information on the following topics from your college or university?
How to help others in distress

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

2A7. Have you received information on the following topics from your college or university?
Injury prevention

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

2A8. Have you received information on the following topics from your college or university?
Nutrition

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

2A9. Have you received information on the following topics from your college or university?
Physical activity

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

2A10. Have you received information on the following topics from your college or university?
Pregnancy prevention

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

2B1. Have you received information on the following topics from your college or university?
Problem use of internet/computer games

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

2B2. Have you received information on the following topics from your college or university?
Relationship difficulties

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

2B3. Have you received information on the following topics from your college or university? Sexual assault/Relationship violence prevention

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

2B4. Have you received information on the following topics from your college or university? Sexually transmitted disease/ Infection (STD/I) prevention

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

2B5. Have you received information on the following topics from your college or university? Sleep difficulties

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

2B6. Have you received information on the following topics from your college or university? Stress reduction

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

2B7. Have you received information on the following topics from your college or university? Suicide prevention

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

2B8. Have you received information on the following topics from your college or university? Tobacco use

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

2B9. Have you received information on the following topics from your college or university? Violence prevention

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

3A1. Are you interested in receiving information on the following topics from your college or university? Alcohol and other drug use

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A2. Are you interested in receiving information on the following topics from your college or university? Cold/Flu/Sore throat

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A3. Are you interested in receiving information on the following topics from your college or university? Depression/Anxiety

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A4. Are you interested in receiving information on the following topics from your college or university? Eating disorders

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A5. Are you interested in receiving information on the following topics from your college or university? Grief and loss

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A6. Are you interested in receiving information on the following topics from your college or university? How to help others in distress

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A7. Are you interested in receiving information on the following topics from your college or university? Injury prevention

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

3A8. Are you interested in receiving information on the following topics from your college or university?

Nutrition

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A9. Are you interested in receiving information on the following topics from your college or university?

Physical activity

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A10. Are you interested in receiving information on the following topics from your college or university?

Pregnancy prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B1. Are you interested in receiving information on the following topics from your college or university?

Problem use of Internet/computer games

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B2. Are you interested in receiving information on the following topics from your college or university?

Relationship difficulties

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B3. Are you interested in receiving information on the following topics from your college or university?

Sexual assault/Relationship violence prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B4. Are you interested in receiving information on the following topics from your college or university?

Sexually transmitted disease/Infection (STD/I) prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

3B5. Are you interested in receiving information on the following topics from your college or university? Sleep difficulties

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B6. Are you interested in receiving information on the following topics from your college or university? Stress reduction

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B7. Are you interested in receiving information on the following topics from your college or university? Suicide prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B8. Are you interested in receiving information on the following topics from your college or university? Tobacco use

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B9. Are you interested in receiving information on the following topics from your college or university? Violence prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

4A. Within the last 12 months, how often did you: Wear a seatbelt when you rode in car?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

4B. Within the last 12 months, how often did you:
Wear a helmet when you rode a bicycle?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

4C. Within the last 12 months, how often did you:
Wear a helmet when you rode a motorcycle?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

4D. Within the last 12 months, how often did you:
Wear a helmet when you were inline skating?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

5A. Within the last 12 months:
Were you in a physical fight?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

5B. Within the last 12 months:
Were you physically assaulted (do not include sexual assault)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

5C. Within the last 12 months:

Were you verbally threatened?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

5D. Within the last 12 months:

Were you sexually touched without your consent?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

5E. Within the last 12 months:

Was sexual penetration attempted (vaginal, anal, oral) without your consent?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

5F. Within the last 12 months:

Were you sexually penetrated (vaginal, anal, oral) without your consent?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

5G. Within the last 12 months:

Were you a victim of stalking (e.g., waiting for you outside your classroom, residence hall, or office: repeated emails/phone calls)?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

6A. Within the last 12 months, have you been in an intimate (coupled/partnered) relationship that was:

Emotionally abusive? (e.g., called derogatory names, yelled at, ridiculed)

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

6B. Within the last 12 months, have you been in an intimate (coupled / partnered) relationship that was:

Physically abusive? (e.g., kicked, slapped, punched)

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

6C. Within the last 12 months, have you been in an intimate (coupled / partnered) relationship that was: Sexually abusive? (e.g., forced to have sex when you didn't want it, forced to perform an unwanted sexual act on you)

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

7A. Do you feel safe on this campus (daytime)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

7B. Do you feel safe on this campus (nighttime)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

7C. Do you feel safe in the community surrounding this school (daytime)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

7D. Do you feel safe in the community surrounding this school (nighttime)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A1. Within the last thirty days, on how many days did you use: Cigarettes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

8A2. Within the last thirty days, on how many days did you use:

Tobacco from a water pipe (hookah)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A3. Within the last thirty days, on how many days did you use:

Cigars, little cigars, clove cigarettes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A4. Within the last thirty days, on how many days did you use:

Smokeless tobacco?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A5. Within the last thirty days, on how many days did you use:

Alcohol (beer, wine, liquor)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)  
Reference Group Data Report - Spring 2012**

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

September 20, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 90666 W&P Surveys

**8A6. Within the last thirty days, on how many days did you use:**

**Marijuana (pot, weed, hashish, hash oil)?**

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 Never used	18043	60	37691	65	1073	66	56,907	63.4	
2 Have used, but not in last 30	6270	21	12026	21	260	16	18,608	20.7	
3 1 - 2 days	1715	6	3370	6	86	5	5,193	5.8	
4 3 - 5 days	896	3	1465	3	45	3	2,411	2.7	
5 6 - 9 days	710	2	884	2	33	2	1,632	1.8	
6 10 - 19 days	811	3	895	2	39	2	1,750	1.9	
7 20 - 29 days	649	2	639	1	26	2	1,319	1.5	
8 Used daily	1022	3	890	2	58	4	1,989	2.2	
Valid responses =	30116	34	57860	64	1620	2	89,809	99.1	

Invalid responses include no response or multiple responses.

**8A7. Within the last thirty days, on how many days did you use:**

**Cocaine (crack, rock, freebase)?**

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 Never used	27777	92	54929	95	1507	93	84,388	93.9	
2 Have used, but not in last 30	1853	6	2451	4	74	5	4,397	4.9	
3 1 - 2 days	298	1	317	1	11	1	629	0.7	
4 3 - 5 days	101	0	97	0	4	0	203	0.2	
5 6 - 9 days	50	0	47	0	3	0	101	0.1	
6 10 - 19 days	26	0	21	0	3	0	50	0.1	
7 20 - 29 days	15	0	10	0	2	0	27	0.0	
8 Used daily	27	0	6	0	13	1	59	0.1	
Valid responses =	30147	34	57878	64	1617	2	89,854	99.1	

Invalid responses include no response or multiple responses.

**8A8. Within the last thirty days, on how many days did you use:**

**Methamphetamine (crystal, meth, ice, crank)?**

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 Never used	29321	97	56961	98	1564	96	88,030	97.9	
2 Have used, but not in last 30	749	3	866	2	36	2	1,665	1.9	
3 1 - 2 days	20	0	26	0	5	0	53	0.1	
4 3 - 5 days	18	0	11	0	5	0	35	0.0	
5 6 - 9 days	13	0	8	0	3	0	25	0.0	
6 10 - 19 days	5	0	9	0	0	0	14	0.0	
7 20 - 29 days	5	0	1	0	1	0	7	0.0	
8 Used daily	24	0	5	0	9	1	49	0.1	
Valid responses =	30155	34	57887	64	1623	2	89,878	99.1	

Invalid responses include no response or multiple responses.

**8A9. Within the last thirty days, on how many days did you use:**

**Other amphetamines (diet pills, bennies)?**

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 Never used	28166	94	54251	94	1513	94	84,105	93.7	
2 Have used, but not in last 30	1208	4	2280	4	54	3	3,558	4.0	
3 1 - 2 days	229	1	389	1	14	1	636	0.7	
4 3 - 5 days	159	1	225	0	6	0	391	0.4	
5 6 - 9 days	95	0	163	0	3	0	262	0.3	
6 10 - 19 days	70	0	167	0	6	0	245	0.3	
7 20 - 29 days	40	0	106	0	4	0	150	0.2	
8 Used daily	139	1	259	0	18	1	430	0.5	
Valid responses =	30106	34	57840	64	1618	2	89,777	99.0	

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

8B1. Within the last thirty days, on how many days did you use:

Sedatives (downers, ludes)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include '1 Never used' (94.3%), '2 Have used, but not in last 30' (3.9%), '3 1 - 2 days' (0.8%), '4 3 - 5 days' (0.4%), '5 6 - 9 days' (0.2%), '6 10 - 19 days' (0.1%), '7 20 - 29 days' (0.1%), '8 Used daily' (0.2%), and 'Valid responses = 99.2%'.

Invalid responses include no response or multiple responses.

8B2. Within the last thirty days, on how many days did you use:

Hallucinogens (LSD, PCP)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include '1 Never used' (93.4%), '2 Have used, but not in last 30' (5.6%), '3 1 - 2 days' (0.7%), '4 3 - 5 days' (0.1%), '5 6 - 9 days' (0.0%), '6 10 - 19 days' (0.0%), '7 20 - 29 days' (0.0%), '8 Used daily' (0.1%), and 'Valid responses = 99.1%'.

Invalid responses include no response or multiple responses.

8B3. Within the last thirty days, on how many days did you use:

Anabolic steroids (Testosterone)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include '1 Never used' (99.0%), '2 Have used, but not in last 30' (0.8%), '3 1 - 2 days' (0.1%), '4 3 - 5 days' (0.0%), '5 6 - 9 days' (0.0%), '6 10 - 19 days' (0.0%), '7 20 - 29 days' (0.0%), '8 Used daily' (0.1%), and 'Valid responses = 99.1%'.

Invalid responses include no response or multiple responses.

8B4. Within the last thirty days, on how many days did you use:

Opiates (heroin, smack)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include '1 Never used' (97.8%), '2 Have used, but not in last 30' (1.8%), '3 1 - 2 days' (0.1%), '4 3 - 5 days' (0.1%), '5 6 - 9 days' (0.0%), '6 10 - 19 days' (0.0%), '7 20 - 29 days' (0.0%), '8 Used daily' (0.1%), and 'Valid responses = 99.1%'.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

8B5.. Within the last thirty days, on how many days did you use:

Inhalants (glue, solvents, gas)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 Never used'.

Invalid responses include no response or multiple responses.

8B6. Within the last thirty days, on how many days did you use:

MDMA (Ecstasy)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 Never used'.

Invalid responses include no response or multiple responses.

8B7. Within the last thirty days, on how many days did you use:

Other club drugs (GHB, Ketamine, Rohypnol)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 Never used'.

Invalid responses include no response or multiple responses.

8B8. Within the last thirty days, on how many days did you use:

Other illegal drugs?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 Never used'.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

9A1. Within the last thirty days, how often do you think the typical student at your school used: Cigarettes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A2. Within the last thirty days, how often do you think the typical student at your school used: Tobacco from a water pipe (hookah)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A3. Within the last thirty days, how often do you think the typical student at your school used: Cigars, little cigars, clove cigarettes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A4. Within the last thirty days, how often do you think the typical student at your school used: Smokeless tobacco?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)  
Reference Group Data Report - Spring 2012**

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

September 20, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 90666 W&P Surveys

**9A5. Within the last thirty days, how often do you think the typical student at your school used:  
Alcohol (beer, wine, liquor)?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Never used	1264	4	1542	3	180	12	2,994	3.4
2 Have used, but not in last 30	665	2	932	2	47	3	1,650	1.9
3 1 - 2 days	1837	6	3331	6	133	9	5,312	6.0
4 3 - 5 days	3280	11	5277	9	129	9	8,699	9.9
5 6 - 9 days	6749	23	11106	20	222	15	18,112	20.5
6 10 - 19 days	8726	30	18504	33	317	22	27,616	31.3
7 20 - 29 days	3403	12	7966	14	163	11	11,567	13.1
8 Used daily	3653	12	8220	15	282	19	12,187	13.8
Valid responses =	29577	34	56878	65	1473	2	88,137	97.2

Invalid responses include no response or multiple responses.

**9A6. Within the last thirty days, how often do you think the typical student at your school used:  
Marijuana (pot, weed, hashish, hash oil)?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Never used	2894	10	4076	7	249	17	7,233	8.2
2 Have used, but not in last 30	3339	11	5242	9	136	9	8,729	9.9
3 1 - 2 days	4854	16	8303	15	224	15	13,397	15.3
4 3 - 5 days	4533	15	7983	14	161	11	12,709	14.5
5 6 - 9 days	4846	16	9421	17	176	12	14,482	16.5
6 10 - 19 days	4630	16	10683	19	178	12	15,539	17.7
7 20 - 29 days	1932	7	4860	9	106	7	6,913	7.9
8 Used daily	2495	9	6084	11	234	16	8,846	10.1
Valid responses =	29523	34	56652	64	1464	2	87,848	96.9

Invalid responses include no response or multiple responses.

**9A7. Within the last thirty days, how often do you think the typical student at your school used:  
Cocaine (crack, rock, freebase)?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Never used	14286	48	23636	42	607	42	38,620	43.9
2 Have used, but not in last 30	6430	22	13363	24	296	21	20,139	22.9
3 1 - 2 days	4815	16	9837	17	236	16	14,914	17.0
4 3 - 5 days	1847	6	4243	8	101	7	6,199	7.0
5 6 - 9 days	962	3	2731	5	68	5	3,770	4.3
6 10 - 19 days	519	2	1526	3	50	4	2,099	2.4
7 20 - 29 days	324	1	730	1	25	2	1,082	1.2
8 Used daily	363	1	674	1	61	4	1,117	1.3
Valid responses =	29546	34	56740	65	1444	2	87,940	97.0

Invalid responses include no response or multiple responses.

**9A8. Within the last thirty days, how often do you think the typical student at your school used:  
Methamphetamine (crystal meth, ice, crank)?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Never used	17744	60	30286	53	745	52	48,884	55.5
2 Have used, but not in last 30	5463	19	11794	21	270	19	17,568	20.0
3 1 - 2 days	3639	12	7880	14	197	14	11,738	13.3
4 3 - 5 days	1189	4	2983	5	66	5	4,246	4.8
5 6 - 9 days	602	2	1775	3	62	4	2,447	2.8
6 10 - 19 days	346	1	1001	2	28	2	1,380	1.6
7 20 - 29 days	255	1	561	1	22	2	839	1.0
8 Used daily	325	1	552	1	51	4	946	1.1
Valid responses =	29563	34	56832	65	1441	2	88,048	97.1

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

9A9. Within the last thirty days, how often do you think the typical student at your school used: Other amphetamine (diet pills, bennies)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B1. Within the last thirty days, how often do you think the typical student at your school used: Sedatives (downers, ludes)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B2. Within the last thirty days, how often do you think the typical student at your school used: Hallucinogens (LSD, PCP)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B3. Within the last thirty days, how often do you think the typical student at your school used: Anabolic steroids (Testosterone)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

9B4. Within the last thirty days, how often do you think the typical student at your school used: Opiates (heroin, smack)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B5. Within the last thirty days, how often do you think the typical student at your school used: Inhalants (glue, solvents, gas)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B6. Within the last thirty days, how often do you think the typical student at your school used: MDMA (Ecstasy)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B7. Within the last thirty days, how often do you think the typical student at your school used: Other club drugs (GHB, Ketamine, Rohypnol)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)  
Reference Group Data Report - Spring 2012**

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

September 20, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 90666 W&P Surveys

**9B8. Within the last thirty days, how often do you think the typical student at your school used:  
Other illegal drugs?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Never used	14590	50	24119	43	655	46	39,441	45.0
2 Have used, but not in last 30	6506	22	13493	24	266	19	20,315	23.2
3 1 - 2 days	4169	14	9030	16	212	15	13,452	15.4
4 3 - 5 days	1637	6	3756	7	74	5	5,475	6.3
5 6 - 9 days	1067	4	2557	5	60	4	3,692	4.2
6 10 - 19 days	603	2	1692	3	41	3	2,343	2.7
7 20 - 29 days	354	1	886	2	30	2	1,273	1.5
8 Used daily	497	2	1004	2	74	5	1,591	1.8
Valid responses =	29423	34	56537	65	1412	2	87,582	96.6

Invalid responses include no response or multiple responses.

**10. The last time you "partied"/socialized, how many alcoholic drinks did you have?**

Drinks	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
0	7801	26	15325	27	437	28	23,632	26.4
1-2	4649	15	14028	24	295	19	19,026	21.2
3-4	5258	18	13369	23	312	20	18,971	21.2
5-6	4425	15	8670	15	189	12	13,304	14.9
7-8	2861	10	3629	6	103	7	6,599	7.4
9-10	2259	8	1721	3	99	6	4,086	4.6
11-12	1139	4	474	1	41	3	1,657	1.9
13-14	392	1	123	0	14	1	529	0.6
15-16	668	2	214	0	20	1	905	1.0
GE 17	639	2	172	0	27	2	848	0.9
Valid responses=	30091	34	57725	64	1537	2	89,557	98.8

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	4.57	3.00	5.02	0	98
Female	3.01	2.00	3.14	0	88
Overall	3.55	3.00	4.02	0	98

**11. The last time you "partied"/socialized, how many hours did you drink alcohol?**

Hours	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
0	7839	26	15434	27	440	29	23,783	26.8
1-2	4913	17	10514	18	281	19	15,751	17.7
3-4	9359	31	18119	32	429	29	27,958	31.5
5-6	5866	20	10712	19	255	17	16,863	19.0
7-8	1182	4	1889	3	52	4	3,131	3.5
9-10	331	1	373	1	22	2	727	0.8
11-12	190	1	168	0	8	1	367	0.4
13-14	44	0	24	0	0	0	70	0.1
15-16	21	0	19	0	0	0	40	0.0
GE 17	73	0	51	0	13	1	140	0.2
Valid responses =	29818	34	57303	65	1500	2	88,830	98.0

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	3.01	3.00	2.92	0	66
Female	2.78	3.00	2.44	0	64
Overall	2.86	3.00	2.66	0	70



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)  
Reference Group Data Report - Spring 2012**

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

September 20, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 90666 W&P Surveys

**12. How many drinks of alcohol do you think the typical student at your school had the last time he/she "partied"/socialized?**

Drinks	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
0	1754	6	2511	4	172	12	4,451	5.0
1-2	2040	7	3710	7	96	7	5,868	6.6
3-4	7532	25	17053	30	323	23	24,982	28.1
5-6	9510	32	19771	34	370	26	29,707	33.4
7-8	4600	15	7966	14	191	13	12,770	14.4
9-10	2933	10	4623	8	192	14	7,761	8.7
11-12	653	2	803	1	32	2	1,490	1.7
13-14	95	0	106	0	2	0	204	0.2
15-16	359	1	437	1	13	1	811	0.9
GE 17	316	1	436	1	36	3	797	0.9
Valid responses=	29792	34	57416	65	1427	2	88,841	98.0

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	5.73	5.00	4.54	0	98
Female	5.38	5.00	3.55	0	90
Overall	5.51	5.00	3.99	0	98

**13. Over the last two weeks, how many times have you had five or more drinks of alcohol at a sitting?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 N/A, Don't drink	6445	21	12435	22	374	24	19,310	21.5
2 None	10809	36	28401	49	635	41	39,939	44.4
3 1 time	4609	15	8105	14	223	14	12,963	14.4
4 2 times	3146	10	4160	7	113	7	7,431	8.3
5 3 times	1814	6	2069	4	69	4	3,956	4.4
6 4 times	1465	5	1421	3	44	3	2,932	3.3
7 5 times	815	3	666	1	30	2	1,512	1.7
8 6 times	463	2	345	1	18	1	828	0.9
9 7 times	223	1	143	0	12	1	378	0.4
10 8 times	127	0	87	0	8	1	224	0.2
11 9 times	58	0	34	0	3	0	95	0.1
12 10 or more times	201	1	103	0	26	2	344	0.4
Valid responses=	30175	34	57969	64	1555	2	89,912	99.2

Invalid responses include no response or multiple responses.

**14A. Within the last thirty days, did you: Drive after drinking any alcohol at all?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Not applicable/Don't drive	4591	15	8564	15	359	24	13,565	15.1
2 Not applicable/Don't drink	5748	19	11301	20	260	17	17,357	19.4
3 No	14149	47	29777	52	675	44	44,679	49.8
4 Yes	5597	19	8187	14	230	15	14,050	15.7
Valid responses =	30085	34	57829	65	1524	2	89,651	98.9

Invalid responses include no response or multiple responses.

**14B. Within the last thirty days, did you: Drive after having 5 or more drinks?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Not applicable/Don't drive	4634	16	8568	15	358	24	13,611	15.2
2 Not applicable/Don't drink	5764	19	11470	20	272	18	17,555	19.6
3 No	18724	62	36955	64	850	56	56,629	63.3
4 Yes	866	3	697	1	40	3	1,616	1.8
Valid responses =	29988	34	57690	65	1520	2	89,411	98.6

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

15A. During the last 12 months, when you "partied"/socialized, how often did you:
Alternate non-alcoholic with alcoholic beverages?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15B. During the last 12 months, when you "partied"/socialized, how often did you:
Avoid drinking games?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15C. During the last 12 months, when you "partied"/socialized, how often did you:
Choose not to drink alcohol?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15D. During the last 12 months, when you "partied"/socialized, how often did you:
Determine, in advance, not to exceed a set number of drinks?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

15E. During the last 12 months, when you "partied"/socialized, how often did you: Eat before and/or during drinking?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15F. During the last 12 months, when you "partied"/socialized, how often did you: Have a friend let you know when you've had enough?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15G. During the last 12 months, when you "partied"/socialized, how often did you: Keep track of how many drinks you were having?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15H. During the last 12 months, when you "partied"/socialized, how often did you: Pace your drinks to 1 or fewer per hour?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

15I. During the last 12 months, when you "partied"/socialized, how often did you: Stay with the same group of friends the entire time you were drinking?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15J. During the last 12 months, when you "partied"/socialized, how often did you: Stick with only one kind of alcohol when drinking?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15K. During the last 12 months, when you "partied"/socialized, how often did you: Use a designated driver?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16A. Within the last 12 months, have you experienced any of the following when drinking alcohol: Did something you later regretted?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16B. Within the last 12 months, have you experienced any of the following when drinking alcohol: Forgot where you were or what you did?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

16C. Within the last 12 months, have you experienced any of the following when drinking alcohol: Got in trouble with the police?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16D. Within the last 12 months, have you experienced any of the following when drinking alcohol: Someone had sex with me without my consent?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16E. Within the last 12 months, have you experienced any of the following when drinking alcohol: Had sex with someone without their consent?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16F. Within the last 12 months, have you experienced any of the following when drinking alcohol: Had unprotected sex?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16G. Within the last 12 months, have you experienced any of the following when drinking alcohol: Physically injured yourself?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16H. Within the last 12 months, have you experienced any of the following when drinking alcohol: Physically injured another person?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)  
Reference Group Data Report - Spring 2012**

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

November 8, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 90666 W&P Surveys

**16I. Within the last 12 months, have you experienced any of the following when drinking alcohol:  
Seriously considered suicide?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 N/A, Don't drink	6715	22	12725	22	358	25	19,858	22.3
2 No	22630	76	43903	76	1011	72	67,679	76.0
3 Yes	568	2	858	2	39	3	1,480	1.7
Valid responses =	29913	34	57486	65	1408	2	89,017	98.2

Invalid responses include no response or multiple responses.

**17A. Within the last 30 days, what percent of students at your school used cigarettes? State your best estimate.**

Percent	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
0	502	2	691	1	92	7	1,290	1.5
1-10	5906	20	8291	14	203	15	14,438	16.3
11-20	6607	22	10061	18	208	16	16,916	19.1
21-30	5679	19	10414	18	209	16	16,343	18.4
31-40	4198	14	7945	14	168	13	12,327	13.9
41-50	3088	10	8184	14	159	12	11,463	12.9
51-60	1403	5	3687	6	72	5	5,171	5.8
61-70	1040	4	3141	6	79	6	4,264	4.8
71-80	960	3	3334	6	88	7	4,392	4.9
81-90	348	1	1314	2	45	3	1,709	1.9
91-99	126	0	316	1	22	2	479	0.5
Valid responses =	29857	34	57378	65	1345	2	88,792	97.9

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	29.97	25.00	20.47	0	99
Female	36.07	30.00	22.38	0	99
Overall	34.01	30.00	22.01	0	99

**17B. Within the last 30 days, what percent of students at your school used alcohol? State your best estimate.**

Percent	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
0	480	2	621	1	94	7	1,200	1.4
1-10	527	2	810	1	70	5	1,410	1.6
11-20	625	2	821	1	37	3	1,488	1.7
21-30	1087	4	1666	3	37	3	2,794	3.1
31-40	1710	6	2482	4	70	5	4,276	4.8
41-50	3069	10	5285	9	110	8	8,490	9.6
51-60	3333	11	6196	11	129	10	9,679	10.9
61-70	4666	16	8648	15	196	15	13,550	15.3
71-80	7754	26	15686	27	309	23	23,795	26.8
81-90	4919	17	11454	20	195	15	16,597	18.7
91-99	1669	6	3693	6	81	6	5,462	6.2
Valid responses =	29839	34	57362	65	1328	1	88,741	97.9

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	66.17	70.00	21.99	0	99
Female	69.18	75.00	20.57	0	99
Overall	68.03	75.00	21.27	0	99



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

November 8, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

17C. Within the last 30 days, what percent of students at your school used marijuana? State your best estimate.

Table with 9 columns: Percent, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include percentages from 0 to 91-99 and summary statistics for valid responses.

Invalid responses include no response or multiple responses.

Summary statistics table with columns: Mean, Median, Std Dev, Min, Max for Male, Female, and Overall.

18A. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you: Antidepressants (e.g., Celexa, Lexapro, Prozac, Wellbutrin, Zoloft)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses.

Invalid responses include no response or multiple responses.

18B. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you: Erectile dysfunction drugs (e.g., Viagra, Cialis, Levitra)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses.

Invalid responses include no response or multiple responses.

18C. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you: Pain killers (e.g., OxyContin, Vicodin, Codeine)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses.

Invalid responses include no response or multiple responses.

18D. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you: Sedatives (e.g., Xanax, Valium)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

18E. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you: Stimulants (e.g., Ritalin, Adderall)?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

19. Within the last 12 months, with how many partners have you had oral sex, vaginal intercourse or anal intercourse?

Table with 9 columns: Partners, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

Summary table with 6 columns: Category, Mean, Median, Std Dev, Min, Max. Rows for Male, Female, Overall.

20A. Within the last 12 months, did you have sexual partner(s) who were: Female?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

20B. Within the last 12 months, did you have sexual partner(s) who were: Male?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

20C. Within the last 12 months, did you have sexual partner(s) who were: Transgender?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

21A. Within the last 30 days, did you have: Oral sex?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

21B. Within the last 30 days, did you have: Vaginal Intercourse?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

21C. Within the last 30 days, did you have: Anal Intercourse?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

22A. Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during: Oral sex?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

22B. Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during: Vaginal Intercourse?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

22C. Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during: Anal Intercourse?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

23A. Did you or your partner(s) use a method to prevent pregnancy the last time you had vaginal intercourse?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B1. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control pills (monthly or extended cycle)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B2. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control shots?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B3. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control implants?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B4. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control patch?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B5. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Cervical ring?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B6. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Intrauterine device (IUD)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

23B7. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Male condom?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses=.

23B8. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Female condom?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses=.

23B9. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Diaphragm or cervical cap?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses=.

23B10. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Contraceptive sponge?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses=.

23B11. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Spermicide (e.g., foam, jelly, cream)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses=.

23B12. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Fertility awareness (e.g., calendar, mucous, basal body temperature)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses=.

23B13. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Withdrawal?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses=.

23B14. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Sterilization (e.g., hysterectomy, tubes tied, or vasectomy)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses=.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

23B15. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Other method?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart for Total Pct. Rows include '1 No', '2 Yes', and 'Valid responses='.

24. Within the last 12 months, have you or your partner(s) used emergency contraception ("morning after pill")?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart for Total Pct. Rows include '1 N/A N vaginal intercourse 12 m', '2 No', '3 Yes', '4 Don't know', and 'Valid responses='.

Invalid responses include no response or multiple responses.

25. Within the last 12 months, have you or your partner become pregnant?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart for Total Pct. Rows include '1 N/A, No vaginal intercourse 12 m', '2 No', '3 Yes, unintentionally', '4 Yes, intentionally', '5 Don't know', and 'Valid responses='.

Invalid responses include no response or multiple responses.

26. How would you describe your weight?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart for Total Pct. Rows include '1 Very underweight', '2 Slightly underweight', '3 About the right weight', '4 Slightly overweight', '5 Very overweight', and 'Valid responses='.

Invalid responses include no response or multiple responses.

27. Are you trying to do any of the following about your weight?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart for Total Pct. Rows include '1 I am not trying to do anything', '2 Stay the same weight', '3 Lose weight', '4 Gain weight', and 'Valid responses='.

Invalid responses include no response or multiple responses.

28. How many servings of fruits and vegetables do you usually have per day?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart for Total Pct. Rows include '1 0 servings per day', '2 1-2 servings per day', '3 3-4 servings per day', '4 5 or more servings per day', and 'Valid responses='.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

29A. On how many of the past 7 days did you:

Do moderate intensity cardio or aerobic exercise for at least 30 minutes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

29B. On how many of the past 7 days did you:

Do vigorous intensity cardio or aerobic exercise for at least 20 minutes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

29C. On how many of the past 7 days did you:

Do 8-10 strength training exercises for 8-12 repetitions each?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30A. Have you ever felt things were hopeless?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

30B. Have you ever felt overwhelmed by all you had to do?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30C. Have you ever felt exhausted (not from physical activity)?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30D. Have you ever felt very lonely?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30E. Have you ever felt very sad?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30F. Have you ever felt so depressed that it was difficult to function?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) =

90666 W&P Surveys

30G. Have you ever felt overwhelming anxiety?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30H. Have you ever felt overwhelming anger?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30I. Have you ever intentionally cut, burned, bruised, or otherwise injured yourself?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30J. Have you ever seriously considered suicide?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30K. Have you ever attempted suicide?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)  
Reference Group Data Report - Spring 2012**

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

September 20, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 90666 W&P Surveys

**31A1. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:  
Anorexia?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	29883	100	57123	99	1098	98	88292	99.0
2 Yes, diagnosed not treated	65	0	200	0	7	1	282	0.3
3 Yes, treated with medication	31	0	32	0	4	0	68	0.1
4 Yes, treated with psychotherap	25	0	223	0	8	1	262	0.3
5 Yes, treated meds + psychothe	16	0	144	0	1	0	161	0.2
6 Yes, other treatment	18	0	80	0	4	0	106	0.1
Valid responses =	30038	34	57802	65	1122	1	89,171	98.4

Invalid responses include no response or multiple responses.

**31A2. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:  
Anxiety?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	27963	93	49385	86	989	89	78,468	88.1
2 Yes, diagnosed not treated	417	1	1728	3	36	3	2,203	2.5
3 Yes, treated with medication	739	3	2847	5	38	3	3,638	4.1
4 Yes, treated with psychotherap	336	1	1387	2	19	2	1,760	2.0
5 Yes, treated meds + psychothe	484	2	2073	4	26	2	2,604	2.9
6 Yes, other treatment	83	0	340	1	10	1	437	0.5
Valid responses =	30022	34	57760	65	1118	1	89,110	98.3

Invalid responses include no response or multiple responses.

**31A3. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:  
Attention Deficit and Hyperactivity Disorder (ADHD)?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	28514	95	55365	96	1037	94	85,089	95.5
2 Yes, diagnosed not treated	319	1	499	1	19	2	848	1.0
3 Yes, treated with medication	902	3	1418	3	31	3	2,367	2.7
4 Yes, treated with psychotherap	52	0	64	0	5	1	124	0.1
5 Yes, treated meds + psychothe	188	1	350	1	11	1	553	0.6
6 Yes, other treatment	39	0	55	0	4	0	100	0.1
Valid responses =	30014	34	57751	65	1107	1	89,081	98.3

Invalid responses include no response or multiple responses.

**31A4. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:  
Bipolar Disorder?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	29625	99	56900	99	1072	96	87,776	98.5
2 Yes, diagnosed not treated	90	0	202	0	11	1	312	0.4
3 Yes, treated with medication	132	0	250	0	9	1	396	0.4
4 Yes, treated with psychotherap	39	0	62	0	9	1	117	0.1
5 Yes, treated meds + psychothe	108	0	324	1	8	1	448	0.5
6 Yes, other treatment	15	0	25	0	4	0	46	0.1
Valid responses =	30009	34	57763	65	1113	1	89,095	98.3

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

31A5. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Bulimia?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the 'No' response.

Invalid responses include no response or multiple responses.

31A6. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Depression?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the 'No' response.

Invalid responses include no response or multiple responses.

31A7. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Insomnia?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the 'No' response.

Invalid responses include no response or multiple responses.

31A8. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Other sleep disorder?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the 'No' response.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

31B1. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Obsessive Compulsive Disorder (OCD)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the '1 No' response.

Invalid responses include no response or multiple responses.

31B2. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Panic Attacks?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the '1 No' response.

Invalid responses include no response or multiple responses.

31B3. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Phobia?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the '1 No' response.

Invalid responses include no response or multiple responses.

31B4. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Schizophrenia?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the '1 No' response.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

31B5. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Substance abuse or addiction (alcohol or other drugs)?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

31B6. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Other addiction (e.g., gambling, internet, sexual)?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

31B7. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Other mental health condition?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

32. Have you ever been diagnosed with depression?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33A. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Academics?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

33B. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Career related issue?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33C. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Death of a family member or friend?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33D. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Family problems?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33E. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Intimate relationships?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33F. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Other relationships?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33G. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Finances?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33H. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Health problem of a family member or partner?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)  
Reference Group Data Report - Spring 2012**

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

September 20, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 90666 W&P Surveys

**33I. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:  
Personal appearance?**

	Male		Female		Unknown		Total	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	
1 No	25847	86	42600	74	852	77	69,413	77.8
2 Yes	4250	14	15256	26	250	23	19,852	22.2
Valid responses =	30097	34	57856	65	1102	1	89,265	98.5

Invalid responses include no response or multiple responses.

**33J. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:  
Personal health issue?**

	Male		Female		Unknown		Total	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	
1 No	26276	87	45733	79	895	81	73,037	81.9
2 Yes	3800	13	12104	21	209	19	16,190	18.1
Valid responses =	30076	34	57837	65	1104	1	89,227	98.4

Invalid responses include no response or multiple responses.

**33K. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:  
Sleep difficulties?**

	Male		Female		Unknown		Total	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	
1 No	22918	76	41855	72	780	70	65,678	73.6
2 Yes	7166	24	15998	28	328	30	23,578	26.4
Valid responses =	30084	34	57853	65	1108	1	89,256	98.4

Invalid responses include no response or multiple responses.

**33L. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle:  
Other?**

	Male		Female		Unknown		Total	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	
1 No	27368	92	51384	90	928	88	79,821	90.7
2 Yes	2365	8	5626	10	125	12	8,182	9.3
Valid responses =	29733	34	57010	65	1053	1	88,003	97.1

Invalid responses include no response or multiple responses.

**34A. Have you ever received psychological or mental health services from any of the following:  
Counselor/Therapist/Psychologist?**

	Male		Female		Unknown		Total	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	
1 No	21887	73	34719	60	756	69	57,423	64.5
2 Yes	8144	27	22997	40	334	31	31,624	35.5
Valid responses =	30031	34	57716	65	1090	1	89,047	98.2

Invalid responses include no response or multiple responses.

**34B. Have you ever received psychological or mental health services from any of the following:  
Psychiatrist?**

	Male		Female		Unknown		Total	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	
1 No	26658	89	49456	86	940	87	77,173	86.8
2 Yes	3328	11	8145	14	143	13	11,707	13.2
Valid responses =	29986	34	57601	65	1083	1	88,880	98.0

Invalid responses include no response or multiple responses.

**34C. Have you ever received psychological or mental health services from any of the following:  
Other medical provider (e.g., physician, nurse practitioner)?**

	Male		Female		Unknown		Total	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	
1 No	26897	90	47630	83	934	86	75,606	85.1
2 Yes	3075	10	9971	17	150	14	13,260	14.9
Valid responses =	29972	34	57601	65	1084	1	88,866	98.0

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

34D. Have you ever received psychological or mental health services from any of the following: Minister/Priest/Rabbi/Other clergy?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

35. Have you ever received psychological or mental health services from your current college/university's Counseling or Health Service?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

36. If in the future you were having a personal problem that was really bothering you, would you consider seeking help from a mental health professional?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

37. Within the last 12 months, how would you rate the overall level of stress you have experienced?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

38A. Within the last 30 days, did you do any of the following: Exercise to lose weight?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

38B. Within the last 30 days, did you do any of the following: Diet to lose weight?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

38C. Within the last 30 days, did you do any of the following:
Vomit or take laxatives to lose weight?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

38D. Within the last 30 days, did you do any of the following:
Take diet pills to lose weight?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

39A. Have you had a dental exam and cleaning in the last 12 months?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

39B. Have you (Males) performed testicular self exam in the last 30 days?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

39C. Have you (Females) performed breast self exam in the last 30 days?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

39D. Have you (Females) had a routine gynecological exam in the last 12 months?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

39E. Have you used sunscreen regularly with sun exposure?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

39F. Have you ever been tested for Human Immunodeficiency Virus (HIV) infection?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

40A. Have you received the following vaccinations (shots or series of shots): Hepatitis B?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

40B. Have you received the following vaccinations (shots series of shots): Human Papillomavirus/HPV (cervical cancer vaccine)?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

40C. Have you received the following vaccinations (shots series of shots): Influenza (the flu) in the last 12 months (shot or nasal mist)?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

40D. Have you received the following vaccinations (shots series of shots): Measles, Mumps, Rubella?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

40E. Have you received the following vaccinations (shots): Meningococcal disease (meningococcal meningitis)?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

40F. Have you received the following vaccinations (shots):
Varicella (chicken pox)?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

41A1. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Allergies?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

41A2. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Asthma?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

41A3. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Back pain?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

41A4. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Broken bone/Fracture/Sprain?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

41A5. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Bronchitis?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

41A6. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Chlamydia?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

41A7. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Diabetes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for '1 No', '2 Yes', and 'Valid responses ='. A horizontal bar chart shows 98.9% for '1 No'.

Invalid responses include no response or multiple responses.

41A8. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Ear infection?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for '1 No', '2 Yes', and 'Valid responses ='. A horizontal bar chart shows 92.8% for '1 No'.

Invalid responses include no response or multiple responses.

41A9. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Endometriosis?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for '1 No', '2 Yes', and 'Valid responses ='. A horizontal bar chart shows 99.1% for '1 No'.

Invalid responses include no response or multiple responses.

41A10. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Genital Herpes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for '1 No', '2 Yes', and 'Valid responses ='. A horizontal bar chart shows 99.2% for '1 No'.

Invalid responses include no response or multiple responses.

41A11. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Genital warts/Human Papillomavirus (HPV)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for '1 No', '2 Yes', and 'Valid responses ='. A horizontal bar chart shows 98.6% for '1 No'.

Invalid responses include no response or multiple responses.

41A12. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Gonorrhea?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for '1 No', '2 Yes', and 'Valid responses ='. A horizontal bar chart shows 99.6% for '1 No'.

Invalid responses include no response or multiple responses.

41A13. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Hepatitis B or C?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for '1 No', '2 Yes', and 'Valid responses ='. A horizontal bar chart shows 99.6% for '1 No'.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

41B1. Within the last 12 months, have you been diagnosed or treated by a professional for the following: High blood pressure?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41B2. Within the last 12 months, have you been diagnosed or treated by a professional for the following: High cholesterol?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41B3. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Human Immunodeficiency Virus (HIV)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41B4. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Irritable Bowel Syndrome?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41B5. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Migraine headache?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41B6. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Mononucleosis?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

41B7. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Pelvic Inflammatory Disease (PID)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)  
Reference Group Data Report - Spring 2012**

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

September 20, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 90666 W&P Surveys

**41B8. Within the last 12 months, have you been diagnosed or treated by a professional for the following:  
Repetitive stress injury (e.g., carpal tunnel syndrome)?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	29530	99	56432	98	859	98	87,011	98.1
2 Yes	404	1	1288	2	16	2	1,726	1.9
Valid responses =	29934	34	57720	65	875	1	88,737	97.9

Invalid responses include no response or multiple responses.

**41B9. Within the last 12 months, have you been diagnosed or treated by a professional for the following:  
Sinus infection?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	26396	88	45890	79	773	87	73,236	82.5
2 Yes	3558	12	11884	21	112	13	15,586	17.5
Valid responses =	29954	34	57774	65	885	1	88,822	98.0

Invalid responses include no response or multiple responses.

**41B10. Within the last 12 months, have you been diagnosed or treated by a professional for the following:  
Strep throat?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	27662	92	50641	88	795	90	79,285	89.3
2 Yes	2265	8	7112	12	88	10	9,487	10.7
Valid responses =	29927	34	57753	65	883	1	88,772	97.9

Invalid responses include no response or multiple responses.

**41B11. Within the last 12 months, have you been diagnosed or treated by a professional for the following:  
Tuberculosis?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	29792	100	57526	100	874	99	88,394	99.7
2 Yes	117	0	175	0	8	1	308	0.3
Valid responses =	29909	34	57701	65	882	1	88,702	97.8

Invalid responses include no response or multiple responses.

**41B12. Within the last 12 months, have you been diagnosed or treated by a professional for the following:  
Urinary tract infection?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	29399	99	49236	86	789	91	79,609	90.2
2 Yes	324	1	8238	14	82	9	8,667	9.8
Valid responses =	29723	34	57474	65	871	1	88,276	97.4

Invalid responses include no response or multiple responses.

**42. On how many of the past 7 days did you get enough sleep so that you felt rested when you woke up in the morning?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 0 days	2453	8	5769	10	120	13	8,379	9.4
2 1 day	3159	11	7430	13	112	12	10,730	12.0
3 2 days	5062	17	10841	19	172	18	16,110	18.1
4 3 days	5283	18	10245	18	168	18	15,722	17.6
5 4 days	4994	17	9330	16	142	15	14,495	16.3
6 5 days	4953	16	8301	14	126	13	13,406	15.0
7 6 days	2385	8	3769	7	60	6	6,230	7.0
8 7 days	1840	6	2221	4	40	4	4,114	4.6
Valid responses =	30129	34	57906	65	940	1	89,186	98.4

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

43. In the past 7 days, how much of a problem have you had with sleepiness during your daytime activities?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44A. In the past 7 days, how often have you awoken too early in the morning and couldn't get back to sleep?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44B. In the past 7 days, how often have you felt tired, dragged out, or sleepy during the day?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44C. In the past 7 days, how often have you gone to bed because you could not stay awake any longer?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

44D. In the past 7 days, how often have you had an extremely hard time falling asleep?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A1. Within the last 12 months, have any of the following affected your academic performance: Alcohol use?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A2. Within the last 12 months, have any of the following affected your academic performance: Allergies?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A3. Within the last 12 months, have any of the following affected your academic performance: Anxiety?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

45A4. Within the last 12 months, have any of the following affected your academic performance: Assault (physical)?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A5. Within the last 12 months, have any of the following affected your academic performance: Assault (sexual)?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A6. Within the last 12 months, have any of the following affected your academic performance: Attention Deficit and Hyperactivity Disorder (ADHD)?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A7. Within the last 12 months, have any of the following affected your academic performance: Cold/Flu/Sore throat?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

45A8. Within the last 12 months, have any of the following affected your academic performance: Concern for a troubled friend or family member?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B1. Within the last 12 months, have any of the following affected your academic performance: Chronic health problem or serious illness (e.g. diabetes, asthma, cancer)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B2. Within the last 12 months, have any of the following affected your academic performance: Chronic pain?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B3. Within the last 12 months, have any of the following affected your academic performance: Death of a friend or family member?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

45B4. Within the last 12 months, have any of the following affected your academic performance: Depression?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B5. Within the last 12 months, have any of the following affected your academic performance: Discrimination (e.g., homophobia, racism, sexism)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B6. Within the last 12 months, have any of the following affected your academic performance: Drug use?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B7. Within the last 12 months, have any of the following affected your academic performance: Eating disorder/problem?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

45B8. Within the last 12 months, have any of the following affected your academic performance: Finances?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C1. Within the last 12 months, have any of the following affected your academic performance: Gambling?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C2. Within the last 12 months, have any of the following affected your academic performance: Homesickness?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C3. Within the last 12 months, have any of the following affected your academic performance: Injury (e.g., fracture, sprain, strain, cut)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

45C4. Within the last 12 months, have any of the following affected your academic performance: Internet use/computer games?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C5. Within the last 12 months, have any of the following affected your academic performance: Learning disability?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C6. Within the last 12 months, have any of the following affected your academic performance: Participation in extracurricular activities (e.g., campus clubs, organizations, athletics)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C7. Within the last 12 months, have any of the following affected your academic performance: Pregnancy (yours or your partner's)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

45C8. Within the last 12 months, have any of the following affected your academic performance: Relationship difficulties?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D1. Within the last 12 months, have any of the following affected your academic performance: Roommate difficulties?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D2. Within the last 12 months, have any of the following affected your academic performance: Sexually transmitted disease/infection (STD/I)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D3. Within the last 12 months, have any of the following affected your academic performance: Sinus infection/Ear infection/Bronchitis/Strep throat?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

45D4. Within the last 12 months, have any of the following affected your academic performance: Sleep difficulties?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D5. Within the last 12 months, have any of the following affected your academic performance: Stress?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D6. Within the last 12 months, have any of the following affected your academic performance: Work?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D7. Within the last 12 months, have any of the following affected your academic performance: Other?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)  
Reference Group Data Report - Spring 2012**

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

September 20, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 90666 W&P Surveys

**46. How old are you?**

Age (Years)	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
18	2679	9	6563	11	54	9	9,313	10.5	
19	5139	17	11106	19	91	16	16,370	18.4	
20	4763	16	10046	17	103	18	14,940	16.8	
21	4720	16	9584	17	88	15	14,425	16.2	
22	3359	11	5817	10	51	9	9,244	10.4	
23	1738	6	2736	5	36	6	4,519	5.1	
24	1174	4	1740	3	18	3	2,937	3.3	
25	1017	3	1483	3	9	2	2,514	2.8	
26	765	3	1243	2	15	3	2,027	2.3	
27	736	2	993	2	11	2	1,745	2.0	
28	589	2	849	2	10	2	1,452	1.6	
29	500	2	731	1	4	1	1,239	1.4	
30	453	2	643	1	5	1	1,108	1.2	
31	342	1	477	1	11	2	832	0.9	
GE 32	2157	7	3868	7	68	12	6,127	6.9	
Valid responses =	30131	34	57879	65	574	1	88,792	97.9	

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	22.86	21.00	6.00	18.00	92.00
Female	22.43	21.00	6.09	18.00	93.00
Overall	22.59	21.00	6.10	18.00	98.00

**47. What is your gender?**

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 Female	0	0	58209	100	0	0	58,209	64.2	
2 Male	30345	100	0	0	0	0	30,345	33.5	
3 Transgender	0	0	0	0	0	0	214	0.2	
Valid responses =	30345	33	58209	64	1898	2	90,666	100.0	

Invalid responses include no response or multiple responses.

**48. What is your sexual orientation?**

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 Heterosexual	27350	91	52822	92	326	86	80,537	91.2	
2 Gay/Lesbian	1521	5	1054	2	16	4	2,646	3.0	
3 Bisexual	674	2	2647	5	25	7	3,405	3.9	
4 Unsure	470	2	1161	2	11	3	1,697	1.9	
Valid responses =	30015	34	57684	65	378	0	88,285	100.0	

Invalid responses include no response or multiple responses.

**49. Height in inches?**

Inches	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
low-36	0	0	0	0	0	0	0	0.0	
37-48	0	0	1	0	0	0	1	0.0	
49-60	40	0	2518	4	27	5	2,591	2.9	
61-72	21990	74	54664	95	483	87	77,305	87.6	
73-84	7843	26	362	1	48	9	8,279	9.4	
GE 85	30	0	36	0	0	0	71	0.1	
Valid responses =	29903	34	57581	65	558	1	88,247	97.3	

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	70.70	71.00	3.14	49.00	106.00
Female	65.05	65.00	2.96	48.00	105.00
Overall	66.98	67.00	4.05	48.00	106.00



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

50. What is your weight in pounds?

Table with 9 columns: Pounds, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

Summary statistics table with columns: Mean, Median, Std Dev, Min, Max for Male, Female, and Overall.

51. What is your year in school?

Table with 8 columns: Year, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

52. What is your enrollment status?

Table with 8 columns: Enrollment Status, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

53. Have you transferred to this college or university within the last 12 months?

Table with 8 columns: Transfer Status, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

54. How do you usually describe yourself?

Table with 9 columns: Race/Ethnicity, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Valid responses = all responses and blanks: since multiple responses were possible, more than 100% may be included.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

55. Are you an international student?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

56. What is your relationship status?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

57. What is your marital status?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

58. Where do you currently live?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

59. Are you a member of a social fraternity or sorority?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

60. How many hours a week do you work for pay?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

61. How many hours a week do you volunteer?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include 0 hours, 1-9 hours, 10-19 hours, 20-29 hours, 30-39 hours, 40 hours, 7 more than 40 hours, and Valid responses =.

Invalid responses include no response or multiple responses.

62. What is your primary source of health insurance?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include College/university sponsored, Parents' plan, Another plan, Don't have health insurance, Not sure if I have insurance, and Valid responses =.

Invalid responses include no response or multiple responses.

63. What is your approximate cumulative grade point average?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include A, B, C, D/F, N/A, and Valid responses =.

Invalid responses include no response or multiple responses.

64A. In the last 12 months, have you participated in organized college athletics at any of the following levels:

Varsity?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include No, Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

64B. In the last 12 months, have you participated in organized college athletics at any of the following levels:

Club sports?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include No, Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

64C. In the last 12 months, have you participated in organized college athletics at any of the following levels:

Intramurals?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include No, Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

65A. Do you have any of the following:

Attention Deficit and Hyperactivity Disorder (ADHD)?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

65B. Do you have any of the following:

Chronic illness (e.g., cancer, diabetes, auto-immune disorders)?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

65C. Do you have any of the following:

Deafness/Hearing loss?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

65D. Do you have any of the following:

Learning disability?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

65E. Do you have any of the following:

Mobility/Dexterity disability?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

65F. Do you have any of the following:

Partially sightedness/Blindness?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

65G. Do you have any of the following:

Psychiatric condition?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Data Report - Spring 2012

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

September 20, 2012
FREQUENCY REPORT
Number of Surveys (n) = 90666 W&P Surveys

65H. Do you have any of the following:
Speech or language disorder?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for '1 No', '2 Yes', and 'Valid responses ='. A blue bar chart is shown for the '1 No' response.

Invalid responses include no response or multiple responses.

65I. Do you have any of the following:
Other disability?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for '1 No', '2 Yes', and 'Valid responses ='. A blue bar chart is shown for the '1 No' response.

Invalid responses include no response or multiple responses.

66. Are you currently or have been a member of the United States Armed Services (Active Duty, Reserve, or National Guard)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for '1 No', '2 Yes deployed hazardous duty', '3 Yes not deployed hazardous dt', and 'Valid responses ='. A blue bar chart is shown for the '1 No' response.

Invalid responses include no response or multiple responses.